

Merenje Temperature/Vlažnosti vazduha

Instrumenti za merenje Temperature...



3441

-100 do 1300C, osnovni tip

Više na: <http://www.hioki.com/product/pdf/3441sE8-3XB.pdf>



3442

-100 do 1300C, vodootporni tip

Više na: <http://www.hioki.com/product/pdf/3441sE8-3XB.pdf>

IC Termometri...



FT3700-20

-60.0 do 550.0C, dvoznačni laser marker, dugi-fokus merenje 12:1

Više na: <http://www.hioki.com/product/pdf/FT3700-20E2-36E.pdf>








FT3701-20

-60.0 do 760.0C, dvoznačni laser marker, dugi-fokus precizno merenje 30:1

Više na: <http://www.hioki.com/product/pdf/FT3700-20E2-36E.pdf>

Logeri Temperature...

	3650	Temperaturni logger, -40 do 85C, 2048 podataka memorija, dugmasta baterija Više na: http://www.hioki.com/product/pdf/3650E3-18M-00H.pdf
	8423	15 do 600 kanala pri 10ms intervalima, PC prikupljanje podataka, DC napon/temperatura, termopar/vlažnost/kumulativni impulsi, rotacije Više na: http://www.hioki.com/product/pdf/8423E8-3XE.pdf
	8860-50	Maksimalno 64 kanala, do 50ms brzina osvežavanja, 1/1000 opsega rezolucija na naponskoj osi upotrebom Model 8958 skener jedinice Više na: http://www.hioki.com/product/pdf/8860-50E7-19M-00KR.pdf
	8861-50	Maksimalno 128 kanala, do 50ms brzina osvežavanja, 1/1000 opsega rezolucija na naponskoj osi upotrebom Model 8958 skener jedinice Više na: http://www.hioki.com/product/pdf/8860-50E7-19M-00KR.pdf
	LR8400-20 Series	30ch do 60ch pri 10ms do 1 sat intervalima, napon/ temperatura i/ili univerzalne ulazne jedinice, PC prikupljanje podataka, DC napon/temperatura, termopar/pt senzor/otpornost/ vlažnost/kumulativni impulsi Više na: http://www.hioki.com/product/pdf/LR8400-20E8-22M-00KR.pdf



LR5011

1 kanal za dugoročno beleženje temperature; -40°C do 180°C; eksterni senzor

Više na: <http://www.hioki.com/product/pdf/LR5000sE3-19M-00H.pdf>



LR8410-20

Bežični logger podataka sa do 105 kanala pri 100ms do 1 sat intervalima upotrebom Bluetooth® bežične tehnologije, DC napon, temperatura, vlažnost, otpornost sa izabranim logger modulima

Više na: <http://www.hioki.com/product/pdf/LR8410E1-36M.pdf>



LR8431-20

Analogni 10kanalni/impulsni 4kanalni logger, grafički ekran, 100ms do 1h interval, 7MB interna memorija, CF kartica do 1GB, 16 bita, baterija/AC mrežno napajanje, TC/PT100/Napon/Vlažnost/Impuls/Rotacija

Više na: <http://www.hioki.com/product/pdf/LR8431E1-27E.pdf>


Logeri Temperature /Vlažnosti vazduha...



8423

15 do 600 kanala pri 10ms intervalima, PC prikupljanje podataka, DC napon/temperatura, termopar/vlažnost/kumulativni impulsi, rotacije

Više na: <http://www.hioki.com/product/pdf/8423E8-3XE.pdf>



8860-50

Maksimalno 64 kanala, do 50ms brzina osvežavanja, 1/1000 opsega rezolucija na naponskoj osi upotrebom Model 8958 skener jedinice

Više na: <http://www.hioki.com/product/pdf/8860-50E7-19M-00KR.pdf>

	<p>8861-50</p>	<p>Maksimalno 128 kanala, do 50ms brzina osvežavanja, 1/1000 opsega rezolucija na naponskoj osi upotrebom Model 8958 skener jedinice Više na: http://www.hioki.com/product/pdf/8860-50E7-19M-00KR.pdf</p>
	<p>LR5001</p>	<p>2 kanala za dugoročno beleženje temperature i vlažnosti vazduha; -40°C do 85°C; eksterni senzor Više na: http://www.hioki.com/product/pdf/LR5000sE3-19M-00H.pdf</p>
	<p>LR8410-20</p>	<p>Bežični logger podataka sa do 105 kanala pri 100ms do 1 sat intervalima upotrebom Bluetooth® bežične tehnologije, DC napon, temperatura, vlažnost , otpornost sa izabranim logger modulima Više na: http://www.hioki.com/product/pdf/LR8410E1-36M.pdf</p>
	<p>LR8431-20</p>	<p>Analogni 10kanalni/impulsni 4kanalni logger, grafički ekran, 100ms do 1h interval, 7MB interna memorija, CF kartica do 1GB, 16 bita, baterija/AC mrežno napajanje, TC/PT100/Napon/Vlažnost/Impuls/Rotacija Više na: http://www.hioki.com/product/pdf/LR8431E1-27E.pdf</p>

Uvoznik:

<p style="text-align: center;">Melco Buda d.o.o.</p> <p style="text-align: center;">- kancelarija u Beogradu: Hadži Nikole Živkovića br.2 Poslovna zgrada Iskra komerc, kancelarija 15/ II sprat tel: 011/ 2181 609, SBB tel: 011/40-55-420, tel/faks: 011/ 3286 445 e mail: office-beograd@melcobuda.co.rs , budimir.melcobuda@gmail.com www.melcobuda.co.rs , www.kyoritsu-instrumenti.com , www.termovizija.com</p> <p style="text-align: center;">- kancelarija u Despotovcu: Saveza Boraca br.7, 35213 Despotovac, Srbija tel:035/612 916, faks:035/613 319, mob. 063/8003370 e mail: office@kyoritsu-instrumenti.com , office@melcobuda.co.rs</p> <p style="text-align: center;">- Germany address: Quer strasse 18 Offenbach</p>
--