



Merenje/Analiza snage:

AC/DC snaga

	3193-10	AC/DC, 1-faza do 3-faze 4-žice, 6kanalni direktni/klešta ulaz i za napon i za struju, DC/0.5Hz do 1MHz, harmonici/fliker analiza Više na: https://www.hioki.com/en/products/detail/?product_key=5671
	3334	1P2W, samo direktni ulaz, 45Hz do 5kHz, 100mA - 30A opseg, $\pm 0.2\%$ preciznost Više na: https://www.hioki.com/en/products/detail/?product_key=5812
	3335	1P2W, direktni ili klešta ulaz, 0.1Hz do 100kHz, 30A opseg, $\pm 0.1\%$ preciznost Više na: https://www.hioki.com/en/products/detail/?product_key=5598
	PW6001	AC/DC, aktivna snaga, 1-faza do 3-faze 4-žice, 6kanalni direktni ili klešta ulaz i za napon i za struju, DC/0.5Hz do 5kHz, motor i inverter analiza, $\pm 0.02\%$ najbolja preciznost, 0.1Hz do 2MHz Više na: https://www.hioki.com/en/products/detail/?product_key=5796

	<p>PW3336</p>	<p>0.1% osnovna preciznost, 2 kanala AC/DC, 1- faza 2 žice do 3-faze 3-žice, direktni/klešta ulaz i za napon i za struju, DC/0.1Hz do 100kHz, harmonijska analiza do 50og reda, D/A izlaz sa izborom modela Više na: https://www.hioki.com/en/products/detail/?product_key=5572</p>
	<p>PW3337</p>	<p>0.1% osnovna preciznost, 3 kanala AC/DC, 1- faza 2 žice do 3-faze 4-žice, direktni/klešta ulaz i za napon i za struju, DC/0.1Hz do 100kHz, harmonijska analiza do 50og reda, D/A izlaz sa izborom modela Više na: https://www.hioki.com/en/products/detail/?product_key=5696</p>

AC snaga

	<p>PQ3100</p>	<p>Ručni analizator kvaliteta električne energije klase S, 1-faza do 3-faze 4-žice, klešta ulazdo 5kA, udarna struja, baterijsko napajanje i putem AC adaptera, interna memorija Više na: https://www.hioki.com/en/products/detail/?product_key=6387</p>
	<p>3333</p>	<p>1P2W, samo direktni ulaz, 45Hz do 5kHz, 50mA - 30A opseg, ±0.2% preciznost Više na: https://www.hioki.com/en/products/detail/?product_key=5675</p>
	<p>PW3198</p>	<p>Klasa A analizator kvaliteta električne energije, 1-faza do 3-faze 4-žice + 1 kanal, klešta ulaz, 40 do 70 Hz, harmonici do 50og reda, harmonici višeg reda i međuharmonici Više na: https://www.hioki.com/en/products/detail/?product_key=5591</p>



PW3360-20

3-faze 4-žice energetski loger za 50/60Hz komercijalne linije
Više na:

https://www.hioki.com/en/products/detail/?product_key=5589



PW3360-21

3-faze 4-žice energetski loger za 50/60Hz komercijalne linije
sa harmonijskom analizom do 40og reda
Više na:

https://www.hioki.com/en/products/detail/?product_key=5589



PW3365

3-faze 4-žice energetski loger sa nemetalnim kontaktima za 50/60Hz
komercijalne linije
Više na:

https://www.hioki.com/en/products/detail/?product_key=5565

Analiza kvaliteta električne energije



PQ3100

Ručni analizator kvaliteta električne energije klase S, 1-faza do 3-faze
4-žice, klešta ulazdo 5kA, udarna struja, baterijsko napajanje i putem
AC adaptera, interna memorija

Više na:

https://www.hioki.com/en/products/detail/?product_key=6387



PW3198

Klasa A analizator kvaliteta električne energije, 1-faza do 3-faze 4-žice
+ 1 kanal, klešta ulaz, 40 do 70 Hz, harmonici do 50og reda, harmonici
višeg reda i međuharmonici

Više na:


https://www.hioki.com/en/products/detail/?product_key=5591

Analiza talasnih oblika

	8860-51	Maksimalno 64 kanala, do 50ms brzina osvežavanja, 1/1000 opsega rezolucija na naponskoj osi upotrebom Model 8958 skener jedinice Više na: https://www.hioki.com/en/products/detail/?product_key=5638
	8861-51	Maksimalno 128 kanala, do 50ms brzina osvežavanja, 1/1000 opsega rezolucija na naponskoj osi upotrebom Model 8958 skener jedinice Više na: https://www.hioki.com/en/products/detail/?product_key=5638

Merenje potražnje

	3169	1-faza do 3-faze 4-žice (višestruka kola za 1-fazu, 3-faze 3-žice linije), samo klešta ulaz, 45Hz do 66Hz, harmonijska analiza Više na: https://www.hioki.com/en/products/detail/?product_key=5583
	PQ3100	Ručni analizator kvaliteta električne energije klase S, 1-faza do 3-faze 4-žice, klešta ulazdo 5kA, udarna struja, baterijsko napajanje i putem AC adaptera, interna memorija Više na: https://www.hioki.com/en/products/detail/?product_key=6387

	<p>PW3360-20</p>	<p>3-faze 4-žice energetski loger za 50/60Hz komercijalne linije Više na: https://www.hioki.com/en/products/detail/?product_key=5589</p>
	<p>PW3360-21</p>	<p>3-faze 4-žice energetski loger za 50/60Hz komercijalne linije sa harmonijskom analizom do 40og reda Više na: https://www.hioki.com/en/products/detail/?product_key=5589</p>
	<p>PW3365</p>	<p>3-faze 4-žice energetski loger sa nemetalnim kontaktima za 50/60Hz komercijalne linije Više na: https://www.hioki.com/en/products/detail/?product_key=5565</p>

Harmonijska analiza

	<p>3193-10</p>	<p>AC/DC, 1-faza do 3-faze 4-žice, 6kanalni direktni/klešta ulaz i za napon i za struju, DC/0.5Hz do 1MHz, harmonici/fliker analiza Više na: https://www.hioki.com/en/products/detail/?product_key=5671</p>
	<p>PQ3100</p>	<p>Ručni analizator kvaliteta električne energije klase S, 1-faza do 3-faze 4-žice, klešta ulazdo 5kA, udarna struja, baterijsko napajanje i putem AC adaptera, interna memorija Više na: https://www.hioki.com/en/products/detail/?product_key=6387</p>

	<p>PW3198</p>	<p>Klasa A analizator kvaliteta električne energije, 1-faza do 3-faze 4-žice + 1 kanal, klešta ulaz, 40 do 70 Hz, harmonici do 50og reda, harmonici višeg reda i međuharmonici Više na: https://www.hioki.com/en/products/detail/?product_key=5591</p>
	<p>PW3336</p>	<p>0.1% osnovna preciznost, 2 kanala AC/DC, 1- faza 2 žice do 3-faze 3-žice, direktni/klešta ulaz i za napon i za struju, DC/0.1Hz do 100kHz, harmonijska analiza do 50og reda, D/A izlaz sa izborom modela Više na: https://www.hioki.com/en/products/detail/?product_key=5572</p>
	<p>PW3337</p>	<p>0.1% osnovna preciznost, 3 kanala AC/DC, 1- faza 2 žice do 3-faze 4-žice, direktni/klešta ulaz i za napon i za struju, DC/0.1Hz do 100kHz, harmonijska analiza do 50og reda, D/A izlaz sa izborom modela Više na: https://www.hioki.com/en/products/detail/?product_key=5696</p>
	<p>PW6001</p>	<p>AC/DC, aktivna snaga, 1-faza do 3-faze 4-žice, 6kanalni direktni ili klešta ulaz i za napon i za struju, DC/0.5Hz do 5kHz, motor i inverter analiza, ±0.02% najbolja preciznost, 0.1Hz do 2MHz Više na: https://www.hioki.com/en/products/detail/?product_key=5796</p>
	<p>PW3360-21</p>	<p>3-faze 4-žice energetski logger za 50/60Hz komercijalne linije sa harmonijskom analizom do 40og reda Više na: https://www.hioki.com/en/products/detail/?product_key=5589</p>

Uvoznik :

Melco Buda d.o.o.

- kancelarija u Beogradu: Jurija Gagarina br.257/II sprat/12 , 11070 Novi Beograd
tel: 011/6277-410, mob: 065/311-9422

e mail: office-beograd@melcobuda.co.rs , budimir.melcobuda@gmail.com
www.melcobuda.co.rs , www.kyoritsu-instrumenti.com , www.termovizija.com , www.hioki-instrumenti.com

- kancelarija u Despotovcu: Saveza Boraca br.7, 35213 Despotovac, Srbija
tel:035/612 916, faks:035/613 319, mob. 063/8003370
e mail: office@kyoritsu-instrumenti.com , office@melcobuda.co.rs

- Germany address: Quer strasse 18 Offenbach